

Mobile Food Truck Operator Quiz

1. How Many wheel chucks are required to be in place when the MFV is in operation?
 - a. 1
 - b. 2
 - c. 3
 - d. 4
2. True or False, Emergency Shut off valves in the form of 1/4 turn ball valves are required on the exterior of the vehicle at the fuel source?
 - a. True
 - b. False
3. How often must a hood fire suppression system be inspected?
 - a. Semi-annually (every 6 months)
 - b. Annually (every year)
 - c. Bi-Annually (every other year)
 - d. Never
4. True or False, Exit signs are not required inside a MFV?
 - a. True
 - b. False
5. How large of lettering is required on an "emergency shut off valve" sign affixed to the exterior of the MFV?
 - a. 1 inch
 - b. 2 inches
 - c. 3 inches
 - d. 4 inches
6. Cooking that produces gas laden vapors requires what type of fire extinguisher to be on board and mounted?
 - a. Class A
 - b. Class BC
 - c. Class D
 - d. Class K

7. Propane Tanks must be inspected every_____years?
- a. 1
 - b. 2
 - c. 3
 - d. 4
8. True or False, Explosives gas / CO detectors are not required on MFV's?
- A. True
 - B. False
9. How long should you wait for a generator to cool down before refueling it?
- a. 5 minutes
 - b. 10 minutes
 - c. 20 minutes
 - d. 1 hour
10. Gasoline, must be stored in what type of safety container?
- a. Plastic
 - b. Metal
 - c. Either plastic or metal is acceptable
 - d. None of the above
11. Mobile food vehicles must be parked at least _____feet from a building or other vehicle?
- a. 5 feet
 - b. 10 feet
 - c. 50 feet
 - d. 100 feet
12. In MFV with travel distances greater than 10ft, how many means of egress are required?
- a. 1
 - b. 2
 - c. 3
 - d. 4

13. How many inches tall must the lettering be on a no smoking sign affixed to the exterior of a MFV?

- a. 1 inch tall
- b. 2 inches tall
- c. 3 inches tall
- d. 4 inches tall

14. The 3 most common hazards when operating a MFV, are Hood Suppression systems, Generators and _____.

- a. Propane
- b. Trip and fall hazards
- c. Poor vehicle maintenance
- d. Lightning Strikes

15. True or False, Baffles at least 8 inches tall are required between Deep Fryers and surface flames of adjacent cooking equipment?

- a. True
- b. False